updating with position same controller and (feed\$1back feed\$1foward) mounting same system same soldering and updating with position same controller and (feed\$1back feed adj foward) mounting same system same soldering and updating with position same controller and updating with position same controller and processing updating with position same controller and processing EPO; JPO 2004	/03/25 20:42 /03/25 20:43 /03/25 20:45
(feed\$1back feed\$1foward) mounting same system same soldering and updating with position same controller and (feed\$1back feed adj foward) mounting same system same soldering and updating with position same controller and updating with position same controller and processing mounting same system and updating with position same controller and processing mounting same system and updating with position same controller and processing USPAT; 2004 USPAT; 2004	
- 0 mounting same system same soldering and updating with position same controller and (feed\$1back feed adj foward) - 1 mounting same system same soldering and updating with position same controller and updating with processing - 29 mounting same system and updating with position same controller and processing USPAT; 2004	
updating with position same controller and (feed\$1back feed adj foward) mounting same system same soldering and updating with position same controller and updating with processing mounting same system and updating with position same controller and processing uspart; 2004 position same controller and processing uspart; 2004	
(feed\$1back feed adj foward) mounting same system same soldering and updating with position same controller and processing mounting same system and updating with uspat; 2004 29 mounting same system and updating with position same controller and processing Uspat; 2004	/03/25 20:45
(feed\$1back feed adj foward) mounting same system same soldering and updating with position same controller and processing mounting same system and updating with uspat; 2004 29 mounting same system and updating with position same controller and processing Uspat; 2004	/03/25 20:45
- 1 mounting same system same soldering and updating with position same controller and updating with processing EPO; JPO 29 mounting same system and updating with position same controller and processing US-PGPUB;	/03/25 20:45
updating with position same controller and US-PGPUB; processing EPO; JPO mounting same system and updating with USPAT; 2004 position same controller and processing US-PGPUB;	, 00, 20 201.10
processing mounting same system and updating with position same controller and processing EPO; JPO USPAT; 2004 US-PGPUB;	
- 29 mounting same system and updating with USPAT; 2004 position same controller and processing US-PGPUB;	
position same controller and processing US-PGPUB;	/03/25 20:47
	/03/23 20.47
	/03/25 20:47
	/03/25 20:47
updating with position same controller and EPO; JPO	
processing	100105 00 10
	/03/25 20:48
(update updating) with (data position) EPO; JPO	
same controller and processing	
	/03/25 21:15
same controller and processing EPO; JPO	
	/03/25 20:53
position same controller and processing) EPO; JPO	
and feed\$1back	
	/03/25 20:55
position same controller and processing) EPO; JPO	
and feed\$lback) and soldering	
- 27 ((system and (update updating) with USPAT; 2004	/03/25 20:55
position same controller and processing) EPO; JPO	
and feed\$lback) and printing	
- 61 mounting same system and (update updating) USPAT; 2004	/03/25 21:16
same position same controller and EPO; JPO	
processing	
- 0 mounting same system and (update updating) USPAT; 2004	/03/25 21:16
same position same controller and EPO; JPO	
processing and printing and soldering	
- 37 mounting same system and (update updating) USPAT; 2004	/03/25 21:16
same position same controller and EPO; JPO	
processing and detection	
- 19 mounting same system and (update updating) USPAT; 2004	/03/25 21:17
same position same controller and EPO; JPO	
processing and detection and feed\$1back	
- 3761 700/\$.ccls. and controll\$3 and form\$3 with USPAT; 2004	/03/31 14:45
data and detect\$3	
	/03/31 14:37
detect\$3	
	/03/31 14:38
detect\$3 and mounting EPO; JPO	
- 322 (700/\$.ccls. and controll\$3 and updat\$4 USPAT; 2004	/03/31 14:38
and detect\$3 and mounting) and feed\$4 EPO; JPO	
- 135 ((700/\$.ccls. and controll\$3 and updat\$4 USPAT; 2004	/03/31 14:39
and detect\$3 and mounting) and feed\$4) and EPO; JPO	
forward	
	/03/31 15:44
controll\$3 and update and form\$3 with data EPO; JPO	
and detect\$3 same position	
- 145 controller and updat\$3 and form\$3 with USPAT; 2004	/03/31 15:45
data and detect\$3 same position and EPO; JPO	`
print\$3 and solder\$3	
	/03/31 15:46
data and detect\$3 same position and EPO; JPO	
print\$3 and solder\$3) and mount\$3	
)	/03/31 15:46
- 116 (controller and updat\$3 and form\$3 with USPAT; 2004 data and detect\$3 same position and EPO; JPO	/03/31 15:46
- 116 (controller and updat\$3 and form\$3 with USPAT; 2004	/03/31 15:46

Method of measuring accuracy 324/158.1

of electric-component

Inspecting apparatus of

324/537;

324/758

382/150

382/147

36

28

us 6538425 B1 20030325

20001226

US 6167149 A

O Details 📆 Text 💹 Image 🚞 HTML

15

with pallet registration

V

O Details 📴 Text 💹 Image 📟 HTML